


# L I N E R   R E P L A C E M E N T

---

CHARLESTON, SC



HERITAGE POOLS, LLC

Charleston Swims Here.



# WELCOME


Heritage Pools is your partner in pool installation, maintenance, and renovation services in Charleston, SC.

We use high-quality materials and trained installers to ensure that your new pool liner is durable, installed properly, and easy to maintain. Our customization options let you choose the color that suits your personal style.

Our comprehensive pool liner replacement service covers everything from removing the old liner to preparing the pool and installing the new liner.

With Heritage Pools, you can be confident that you are getting the best possible liner replacement service in Charleston, SC.

Contact us today to learn more about how we can transform your pool into a beautiful and enjoyable backyard retreat.



HERITAGE POOLS, LLC



# CONTACT

---

Ready to give your pool a fresh new look?

Our team of skilled and experienced professionals are here to make your liner replacement project a breeze.

Reach out to Heritage Pools today and see for yourself!

(843) 762-3417

Tap Number to Call







## LINER REPLACEMENT SERVICES

---

# ESTIMATE PROCESS



The appointment for the estimate usually has a one-week lead time. If we have previously provided an estimate or completed a renovation for you, the information will be stored for a quicker estimating process that can be done from our office.

During the appointment, the renovation sales designer will come to the property to assess the pool, decking, and equipment.

For the pool, the size, depth, and type of stairs (vinyl or fiberglass) are considered.

For decking, the size, condition, and types of material will be taken into account, if requested.

For the pool equipment, the age and overall condition of the system will be assessed, and recommendations for upgrades and compliance can be suggested.



## LINER REPLACEMENT SERVICES

---

# DRAIN & DE-WATER



Our liner replacement team will come out before the liner is installed to properly drain the pool. They will use the wellpoint, if there is one, to alleviate the groundwater. Once the pool is fully drained and de-watered, we will remove the liner and start the prep work.



## LINER REPLACEMENT SERVICES

---

# PREP



Once the pool is empty, the old liner and debris can be removed. We will assess for rust on steel walls, algae growth on the pool floor and damage to the pool floor that was not visible when liner was in place.

If there are additional concerns found under the liner, the repairs needed will be discussed with the homeowner to determine further action.

Examples are: additional floor repairs, de-watering options, rust neutralization, etc.

The prep process will typically be completed between 1-7 days. The old liner will be bagged and taken to the front of the house for disposal.



## LINER REPLACEMENT SERVICES

---

# LINER INSTALLATION



Now that your liner has been installed there are important steps that must be followed to ensure the best installation possible.

During this process please do not turn off any pumps or vacuums that were left on. It's normal to have pumps on that are pumping ground water out from under your pool during this process.

Do not turn off your water unless instructed by an installer. Below we have instructions on what to expect during this process.

This vacuum is pulling air from behind the liner to hold the liner in place until the water reaches the correct levels. DO NOT turn the vacuum off until the water has reached the correct level as shown in the next step. Turning the vacuum off early can ruin the installation, void your warranty and cause additional costs to properly fix. The arrow in this picture is showing our liner vacuum.



Once the water level has reached the arrows/tape line you can turn off the water and liner vacuum. DO NOT turn off any well point/ground water pumps. We will turn these pumps off when necessary. Turning these pumps off may cause structural damage to your swimming pool. The arrow in this picture can be black or blue tape instead of the red arrows.



We do not faceplate until there is proper water pressure on the fittings to ensure our gaskets are properly sealed. It is not unusual for water to be over the lights, returns, skimmers, etc. before we faceplate. These arrows show our face plating process. Expect the liner to be covering these areas until we install their faceplates.



Once the pool has been face plated you are now ready to swim and enjoy your pool. If there are additional work orders pending, a technician from that specific division will be in contact with you shortly.

